

Author Index

Amorena B., *see* Arana A.
see also Rodellar C.
see also Zaragoza P.

Antczak D.F., *see* Bernoco D.

Arana A., Zaragoza P., Rodellar C. & Amorena B.: Evidence for transferrin polymorphism in Spanish wild rabbits, 125
see also Zaragoza P.

Arnold I.C.J., *see* Juneja R.K.

Beckman J.S., *see* Hallerman E.M.

Bailey E., *see* Bernoco D.
see also Cothran E.G.

Bell K., *see* Bernoco D.
see also Patterson S.D.

Bernoco D., Antczak D.F., Bailey E., Bell K., Bull R.W., Byrns G., Guerin G., Lazary S., McClure J., Templeton J. & Varewyck H.: Joint Report of the Fourth International Workshop on Lymphocyte Alloantigens of the Horse, Lexington, Kentucky, 12-22 October 1985, 81
, Byrns G., Bailey E. & Lew A.M.: Evidence of a second polymorphic ELA class I (ELA-B) locus and gene order for three loci of the equine major histocompatibility complex, 103

Bertaud M., *see* Guerin G.

Bondioli K., *see* Templeton J.W.

Bouquet Y., *see* Georges M.
see also van de Weghe A.

Bouw J., *see* Juneja R.K.

Braend M., Nesse L.L. & Efremov G.D.: Expression and genetics of caprine haemoglobins, 223
& Røed K.H.: Polymorphism of transferrin and esterase in Alaskan wolves: evidence of close molecular homology with the dog, 143
, Tucker E.M. & Clarke S.W.: Search for genetic variation in the blood of Norwegian dairy goats reveals a new polymorphism at the $\text{Hb}\beta^A$ locus, 75

Briles W.E., *see* Taylor R.L.

Bull R.W., *see* Bernoco D.

Byrns G., *see* Bernoco D.

Chardon P., *see* Guerin G.

Clarke S.W., *see* Braend M.
see also Tucker E.M.

Cohen D., *see* Guerin G.

Cothran E.G., MacCluer J.W., Weitkamp L.R. & Bailey E.: Genetic differentiation associated with gait within American Standardbred horses, 285

Cotter P.F., *see* Taylor R.

Davies W., Harbitz I. & Hauge J.G.: A partial cDNA clone for porcine glucosephosphate isomerase: isolation, characterization and use in detection of restriction fragment length polymorphisms, 233

Di Gregorio P., Rando A. & Masina P.: Differences in the DNA restriction patterns between sheep with HbA and HbB, 241

Efremov G.D., *see* Braend M.

Erhardt G., *see* Seibert B.

Gahne B., *see* Juneja R.K.

Garber T., *see* Templeton J.W.

Geffrotin C., *see* Guerin G.

Georges M., Lequarré A.S., Hanset R. & Vassart G.: Genetic variation of the bovine thyroglobulin gene studied at the DNA level, 41
, Swillens S., Bouquet Y., Lequarré A.S. & Hanset R.: Genetic linkage between the bovine plasma protease inhibitor 2(Pi-2) and S blood group loci, 311

González P., Tuñon M.J. & Vallejo M.: Genetic relationships between seven Spanish native breeds of cattle, 249
see also Tuñon M.J.

Groth D.M., Wetherall J.D., Outerridge P. & Stear M.J.: Class I major histocompatibility complex antigens and C4 concentrations in sheep plasma, 187

Guerin G., Bertaud M., Chardon P., Geffrotin G., Vaiman M. & Cohen D.: Molecular genetic analysis of the major histocompatibility complex in an ELA typed horse family, 323
see also Bernoco D.

Hallerman E.M., Nave A., Kashi Y., Holzer Z., Soller M. & Beckmann J.S.: Restriction fragment length polymorphisms in dairy and beef cattle at the growth hormone and prolactin loci, 213

Hanset R., *see* Georges M.

Harbitz I., *see* Davies W.

Hauge J.G., *see* Davies W.

Hines H.C. & Ross M.J.: Serological relationships among antigens of the BoLA and the bovine M blood group systems, 361

Hojný J., *see* Hradecký J.

Holzer Z., *see* Hallerman E.M.

Hradecký J., Čepica S. & Hojný J.: Absence of detectable linkage between the G and H blood group loci in the pig, 279

Jeffreys A.J. & Morton D.B.: DNA fingerprints of dogs and cats, 1

Juneja R.K. & Gahne B.: Simultaneous phenotyping of pig plasma α -protease inhibitors (PI1, PO1A, PO1B, PI2) and four other proteins (PO2, TF, CP, HPX) by a simple method of 20 horizontal electrophoresis, 197

, Arnold I.C.J., Gahne B. & Bouw J.: Parentage testing of dogs using variants of blood proteins: description of five new plasma protein polymorphisms, 297

, Gahne B. & Stratil A.: Polymorphic plasma postalbumins of some domestic animals (pig PO2, horse Xk and dog Pa proteins) identified as homologous to human plasma α_1 B-glycoprotein, 119

Kashi Y., *see* Hallerman E.M.

Kemp S.J., *see* Teale A.J.

Kraemer D.C., *see* Templeton J.W.

Kühne R., *see* Vögeli P.

Ladiges W.C., Raff R.F. & Storb R.: A DLA-associated polymorphic cell surface determinant defined by the murine monoclonal antibody W3G10, 149

Larsen H.J., *see* Nesse L.L.

Lazary S., *see* Bernoco D.

Lequarré A.S., *see* Georges M.

Lew A.M., *see* Bernoco D.

Luttrell L., *see* Stone W.H.

MacCluer J.W., *see* Cothran E.G.

McClure J., *see* Bernoco D.

Mackie J.T., *see* Stear M.J.

Masin P., *see* Di Gregorio P.

Méténier L., *see* Tucker E.M.

Morel P., *see* Vögeli P.

Morton D.B., *see* Jeffreys A.J.

Nagai A., *see* Namikawa T.

Namikawa T., Nagai A., Takenaka O. & Takenaka A.: Bovine haemoglobin β^A ^{Zebu}, β^A 43(CD3)Ser \rightarrow Thr: an intermediate globin type between the β^A and β^D ^{Zambia} is present in Indian Zebu cattle, 133

Nave A., *see* Hallerman E.M.

Nesse L.L. & Larsen H.J.: Production of alloantibodies against caprine lymphocyte antigens, 159

& Larsen H.J.: Lymphocyte antigens in Norwegian goats: serological and genetic studies, 261

see also Braend M.

Outridge P., *see* Groth D.M.

Patterson S.D. & Bell K.: ISO-DALT characterization of 12 'new' equine plasma protease inhibitor (Pi) alleles, 167

& Bell K.: Frequencies of plasma protease inhibitor alleles in Australian horse breeds and the recognition of two new alleles, 181

Raff R.F., *see* Ladiges W.C.

Rando A., *see* Di Gregorio P.

Rodellar C., Zaragoza P., Zarazaga I. & Amorena B.: Linkage studies in blood biochemical polymorphic markers of rabbits, 257

see also Arana A.

Roed K.H. *see* Braend M.

Ross M.J., *see* Hines H.C.

Samples N.K., *see* Stone W.H.

Seibert B., Erhardt G. & Senft B.: Detection of a new κ -casein variant in cow's milk, 269

Senft B., *see* Seibert B.

Soller M., *see* Hallerman E.M.

Stear M.J. & Mackie J.T.: Joint inheritance of bovine major histocompatibility system antigens W6 and W11, 71

see also Groth D.M.

Stone W.H., Samples N.K. & Luttrell L.: Further characterization of the blood group system of rhesus monkeys, 337

Storb R., *see* Ladiges R.F.

Stranzinger G., *see* Vögeli P.

Stratil A., *see* Juneja R.K.

Swillens S., *see* Georges M.

Takenaka A., *see* Namikawa T.

Takenaka O., *see* Namikawa T.

Taylor R.L. Jr, Cotter P.F., Wing T.K. & Briles W.E.: Major histocompatibility (B) complex and sex effects on phytohaemagglutinin wattle response, 343

Teale A.J. & Kemp S.J.: A study of BoLA class II antigens with BoT4 $^+$ T lymphocyte clones, 17

Templeton J. W., Tipton R.C., Garber T., Bondioli K. & Kraemer D.C.: Expression and genetic segregation of parental BoLA serotypes in bovine embryos, 317

see also Bernoco D.

Tipton R.C., *see* Templeton J.W.

Tucker E.M., Clarke S.W. & Méténier L.: Murine/bovine hybridomas producing monoclonal alloantibodies to bovine red cell antigens, 29

see also Braend M.

Tuñón M.J., González P. & Vallejo M.: NADH diaphorase polymorphism in goat erythrocytes, 273

, González P. & Vallejo M.: Erythrocyte potassium polymorphism in 14 Spanish goat breeds, 371

see also González P.

Vaiman M., *see* Guerin G.

Vallejo M., *see* González P.

see also Tuñon M.J.
van de Weghe A., van Zeveren A., Bouquet Y. &
Varewyck H.: The serum protease inhibitor linkage
group in Belgian pig breeds, 63
van Zeveren A., *see* van de Weghe A.
Varewyck H., *see* Bernoco D.
 see also van de Weghe A.
Vassart G., *see* Georges M.
Vögeli P., Kühne R., Wysshaar M., Stranzinger
G. & Morel P.: Recombination rates and gene
order for some serum α -protease inhibitors and
immunoglobulin heavy-chain allotypes in pigs, 351
Weitkamp L.R., *see* Cothran E.G.
Wetherall J.D., *see* Groth D.M.
Wing T.L., *see* Taylor R.L.
Wysshaar M., *see* Vögeli P.
Zaragoza P., Arana A. & Amorena B.: Relation-
ship between rabbit transferrin electrophoretic pat-
terns and plasma iron concentrations, 51
 see also Arana A.
 see also Rodellar C.
Zarazaga I., *see* Rodellar C.

Subject Index

Antibodies (monoclonal):
bovine, 29
caprine, 159
murine, 149

Antigens:
BoLA, 317, 361; class II, 17
ELA class I, 103
cell surface, 71
lymphocyte, goat, 159, 261
OLA, 187
red cell, 29

Blood groups:
BoLA and M, 361
cat, DNA fingerprints, 1
horse, 285
linkage with protease inhibitor, 311
pig, linkage analysis, 279
rhesus monkey, 337

Casein, new variant in cow milk, 269

Cattle:
antibodies, 29
antigens, 17, 71
BoLA, expression in embryo, 317; and M blood group, 361
casein variant, 269
haemoglobin, 133
hybridomas, 29
linkage, 311
lymphocytes, 17
relationships between breeds, 249
RFLPs, 213
thyroglobulin gene variation, 41

Chicken, MHC and sex effects, 343

Clones:
BoT4⁺, 17

DNA:
fingerprints, dogs, cats, 1
pig skeletal muscle, 233
restriction pattern differences, 241

Dog:
cell surface polymorphism, 149
DNA fingerprints, 1
new plasma protein polymorphism, 297
postalbumin polymorphism, 119
transferrin polymorphism, 143

Electrophoresis:
ISO-DALT, 167
isoelectric focusing, 143, 269
patterns in different gels, 51, 125

2D, 197, 297

Embryo, segregation of serotypes, 317

Erythrocyte:
polymorphism, diaphorase, 273; potassium, 371

Esterase:
locus, rabbit, 257
polymorphism, 143

Evolution:
globin, 133

Frequency:
gene, dog plasma protein, 297
protease inhibitor alleles, 181

Genotype determination, 337

Glucose phosphate isomerase, 233

Goat:
diaphorase polymorphism, 273
haemoglobins, 223
lymphocyte antigens, 261
potassium polymorphism, 371
production of alloantibodies, 159

Haemoglobin:
cattle, 133
goat, 223
rabbit, 257
sheep, 241

Histocompatibility (MHC):
cattle, 17, 71, 317, 361
chicken, 343
goat, 159, 261
horse 81, 103, 317, 323
sheep, 187

Hormone, growth (RFLP), 213

Horse:
ELA region molecular genetics, 323
gait, 285
lymphocyte antigens, 81, 103
postalbumin polymorphism, 119
protease inhibitor alleles, 167, 181

Immunoglobulin heavy chain allotypes, 351

Iron, concentrations in plasma, 51, 125

Isoelectric focusing, 269

Linkage:
blood group, pig, 279; cattle, 311
disequilibrium, 63
erythrocyte proteins, 257
serum protease inhibitors, 63, 351
plasma postalbumin, 119

Loci:
 ELA, second locus, 103
 horse, MHC, 103; blood groups, 285
 hypervariable, 1

Lymphocyte:
 antigens, horse, 81, 103; goat, 159, 261
 clones, 17

Mapping, gene, 103, 167

Markers:
 biochemical, Spanish cattle, 249
 cattle RFLPs, 213

Minisatellite probes, 1

Monkey (rhesus), G blood group, 337

Moufflon, 241

Mouse:
 hybridomas, 29
 monoclonal antibody, 149

Nucleotide diversity, 41

Phytohaemagglutinin wattle response, 343

Pig:
 blood group linkage, 279
 cDNA clone, 233
 postalbumin polymorphism, 119
 protein phenotyping, 197
 serum protease inhibitor linkage, 63, 351

Plasma:
 iron concentrations, 51
 postalbumin polymorphism, 63, 119, 197, 297
 protein phenotyping, 197

Polymorphism:
 biochemical, Spanish cattle, 249; rabbit, 257;
 cow milk casein, 269
 cell surface determinant, 149
 goat erythrocytes, diaphorase, 273; potassium, 371
 haemoglobin, goats, 223; sheep, 241
 plasma proteins, dog, 297
 postalbumins, dog, 119, 297; horse, 119; pig, 63, 119, 197
 protease inhibitors, 63, 197

restriction fragment length, 41, 213, 323
 transferrin, 125, 143

Postalbumin polymorphism, 63, 119, 197, 297

Prolactin:
 locus (RFLP), 213

Protease inhibitor:
 horse alleles, 167, 181
 linkage, pig, 63, 351; cattle, 311
 phenotyping, 197

Protein:
 casein variant, 269
 plasma, dog, 297
 primary structure, 133

Rabbit:
 erythrocyte protein linkage, 257
 transferrin, 51, 125

Recombination:
 horse antigens, 103
 pig protease inhibitors, 351

Relationships, Spanish cattle breeds, 249

Restriction fragment length polymorphism:
 cattle, 41
 horse, 323
 pig, 233
 sheep, 241

Rhesus monkey, G blood group, 337

Segregation, BoLA serotypes, 317

Serotypes, BoLA expression, 317

Sex effects and MHC in chickens, 343

Sheep:
 MHC, 187
 restriction patterns, 241

Thyroglobulin gene variation, 41

Transferrin polymorphism, 125, 143

Variation:
 bovine thyroglobulin gene, 41
 horse gait, 285

Wolf, transferrin polymorphism, 143